


References

***A Guide to Neonatal Care - Handbook for Health Professionals*
Petty J, Whiting L and Roberts S (2024) Critical Publishing**



- Abbott J, Berrington J, Bowler U, Boyle E, Dorling J, Embleton N, et al (2017) The Speed of Increasing milk Feeds: a randomised controlled trial. *BMC Pediatr* 17:39.
- Ashworth C., Briggs L (2011) Design and implementation of a neonatal Tissue Viability Assessment Tool on the newborn intensive care unit. *Infant*; 7(6): 191-94.
- August, D, Kandasamy Y, Ray R, New K, Lindsay D (2022) Evaluation of the consistency of neonatal skin injury assessment using clinical images and the metric and graduated colour tool. *Journal of Tissue Viability*, 31(3).
- Aziz AM. (2009 Improving peripheral IV cannula care: implementing high-impact interventions. *Br J Nurs*. 18(20):1242-6.
- Bhutani VK, Wong R (2015) Bilirubin-induced neurologic dysfunction (BIND). *Seminars Fetal Neonatal Medicine*. 20(1):1.
- Boscarino, G.; Conti, M.G.; Pagano, F.; Di Chiara, M.; Pannucci, C.; Onestà, E.; Prota, R.; Deli, G.; Dito, L.; Regoli, D.; et al (2021) Complementary Feeding and Growth in Infants Born Preterm: A 12 Month Follow-Up Study. *Children*. 8(12): 1085.
- Boxwell, G, Petty J and Kaiser, L (2020). *Neonatal Intensive Care Nursing (3rd edition)*. Routledge.
- British Association of Perinatal Medicine (2018) *Use of Central Venous Catheters in Neonates (Revised 2018) A BAPM Framework for Practice*. <https://www.bapm.org/resources/10-use-of-central-venous-catheters-in-neonates-revised-2018>
- British Association of Perinatal Medicine (2019) *Improving Normothermia in Very Preterm Infants A Quality Improvement Toolkit*. <https://www.bapm.org/pages/105-normothermia-toolkit>
- British Association of Perinatal Medicine (2022) *Service and Quality Standards for Provision of Neonatal Care in the UK*. <https://www.bapm.org/resources/service-and-quality-standards-for-provision-of-neonatal-care-in-the-uk>
- British Association of Perinatal Medicine (2024) *Management of Bilious Vomiting in the Newborn Period and Radiological Support for Neonatal Services - A DRAFT BAPM Framework for Practice*. <https://www.bapm.org/resources/management-of-bilious-vomiting-in-the-newborn-period>

- British Association of Perinatal Medicine (BAPM) (2024) Identification and Management of Neonatal Hypoglycaemia in the Full-Term Infant (Birth – 72 hours).
<https://www.bapm.org/resources/identification-and-management-of-neonatal-hypoglycaemia-in-the-full-term-infant-birth-72-hours>
- British Dietetics Association (2019) Guidelines for the Preparation and Handling of Expressed and Donor Breast Milk and Specialist Feeds for Infants and Children in Neonatal and Paediatric Health Care Settings.
<https://www.bda.uk.com/static/913a1f78-c805-42c1-8d85e37ca75e0fc0/2019sfuguidelines.pdf>
- Cerone, J. B., & Pinheiro, J. M. (2022). Tracheal length measurement in intubated neonates to guide the design and use of endotracheal tube glottic depth markings. *Children*, 9(2), 169.
- International Society for Infectious diseases [ISID] (2019) *Bundles in Infection Prevention and Safety—ISID*. (2019, June 28).
<https://isid.org/guide/infectionprevention/bundles/>
- Clarke P (2017) Family-centred care right from birth: the irreplaceable birthday cuddle. *Acta Paediatr.* 106:1534-1535
- Clarke P, Allen E, Atuona S, Cawley P (2021) Delivery room cuddles for extremely preterm babies and parents: concept, practice, safety, parental feedback. *Acta Paediatr.* 110(5):1439-1449.
<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC8246903/>
- Cole TJ, Statnikov Y, Santhakumaran S, et al (2014) Birth weight and longitudinal growth in infants born below 32 weeks' gestation: a UK population study. *Archives of Disease in Childhood - Fetal and Neonatal Edition.* 99: F34-F40.
- Coleman C, Tambay Perez A, Selewski DT, Steflik HJ (2022) Neonatal Acute Kidney Injury. *Front Pediatr.* 10:842544.
- Conde-Agudelo A, Díaz-Rossello JL (2016) Kangaroo mother care to reduce morbidity and mortality in low birthweight infants. *Cochrane Database of Systematic Reviews.* Issue 8. Art. No.: CD002771
- Corvaglia L, Martini S, Aceti A, Arcuri S, Rossini R, Faldella G. (2013) Nonpharmacological management of gastroesophageal reflux in preterm infants. *Biomed Res Int.* 141967.
- Dorling, J., Abbott, J., Berrington, J., Bosiak, B., Bowler, U., Boyle, E., ... & Townend, J. (2019) Controlled trial of two incremental milk-feeding rates in preterm infants. *New England Journal of Medicine.* 381(15), 1434-1443.
- Dioni, D, Franceschini, R, Marzollo, R, Oprandi, D, Chirico, G (2014) Central vascular catheters and infections, *Early Human Development*, 90, Supplement 1,

- Dias FSB, Emidio SCD, Lopes MHBM, Shimo AKK, Beck ARM, Carmona EV. (2017) Procedures for measuring and verifying gastric tube placement in newborns: an integrative review. *Rev Lat Am Enfermagem*. 10;25: e2908. doi: 10.1590/1518-8345.
- Ebenebe, C. U., Schriever, K., Wolf, M., Herrmann, J., Singer, D., & Deindl, P. (2022). Recommendations for nasotracheal tube insertion depths in neonates. *Frontiers in Pediatrics*, 10, 990423.
- Embleton ND, Jennifer Moltu S, Lapillonne A, van den Akker CHP, Carnielli V, Fusch C, Gerasimidis K, van Goudoever JB, Haiden N, Iacobelli S, Johnson MJ, Meyer S, Mihatsch W, de Pipaon MS, Rigo J, Zachariassen G, Bronsky J, Indrio F, Köglmeier J, de Koning B, Norsa L, Verduci E, Domellöf M. (2023) Enteral Nutrition in Preterm Infants (2022): A Position Paper From the ESPGHAN Committee on Nutrition and Invited Experts. *J Pediatr Gastroenterol Nutr*. 76(2):248-268.
- Fawcett K (2014) Preventing admission hypothermia in very low birth weight neonates. *Neonatal Network*. May-Jun;33(3):143-9.
- Fawaz R, Baumann U, Ekong U, Fischler B, Hadzic N, Mack CL, McLin VA, Molleston JP, Neimark E, Ng VL, Karpen SJ. (2017) Guideline for the Evaluation of Cholestatic Jaundice in Infants: Joint Recommendations of the North American Society for Pediatric Gastroenterology, Hepatology, and Nutrition and the European Society for Pediatric Gastroenterology, Hepatology, and Nutrition. *Journal Pediatric Gastroenterology Nutrition*. 64(1):154-168.
- Fewtrell MS, Kennedy K, Ahluwalia JS, Nicholl R, Lucas A, Burton P. (2016) Predictors of expressed breast milk volume in mothers expressing milk for their preterm infant. *Arch Dis Child Fetal Neonatal Ed*. 101(6): F502-F506
- Fusch C, Jochum F (2014) Water, sodium, potassium and chloride. *World Rev Nutr Diet*. 110:99-120.
- García A, Cross JH, Fitchett EJA, Kawaza K, Okomo U, Spotswood NE, Chiume M, Ezeaka VC, Irimu G, Salim N, Molyneux EM, Lawn JE; with the NEST360 Infection Prevention, Detection and Care Collaborative Group (2022) Infection prevention and care bundles addressing health care-associated infections in neonatal care in low-middle income countries: a scoping review. *EClinicalMedicine*. Jan 10
- Gardner S.L, Carter B.S, Enzman-Hines M and Niermeyer S (2020) *Merenstein & Gardner's Handbook of Neonatal Intensive Care: An Interprofessional Approach* (9th Edition). Elsevier, Missouri.
- Glass L, Valdez A (2021) Preterm Infant Incubator Humidity Levels: A Systematic Review. *Advances in Neonatal Care*. 21(4):297-307.
- Gopalakrishnan, P. N., Goel, N., & Banerjee, S. (2017). Saline irrigation for the management of skin extravasation injury in neonates. *Cochrane Database of Systematic Reviews*, 2017(7).

- Goyal, S and Banerjee S. (2020), Fluid, electrolyte and early nutritional management in the preterm neonate with very low birth weight, *Paediatrics and Child Health*, 31(1): 7-17.
- HealthCare Improvement Scotland (HIS) (2020) Paediatric Risk Assessment Tool [Glamorgan].
- Heller N, Rüdiger M, Hoffmeister V, Mense L (2021) Mother's Own Milk Feeding in Preterm Newborns Admitted to the Neonatal Intensive Care Unit or Special-Care Nursery: Obstacles, Interventions, Risk Calculation. *International Journal Environ Res Public Health*. 18(8):4140
- Higginson R, Parry A. (2011) Phlebitis: treatment, care and prevention. *Nursing Times*. 107(36):18-21
- Hodson W (2018) Temperature regulation. In Gleason CA, Juul SE, (eds.) *Avery's diseases of the newborn*. 10th ed. Elsevier; :361–367
- Jochum F, Moltu SJ, Senterre T, Nomayo A, Goulet O, Iacobelli S (2018) ESPGHAN/ESPEN/ESPR/CSPEN working group on pediatric parenteral nutrition. ESPGHAN/ESPEN/ESPR/CSPEN guidelines on pediatric parenteral nutrition: Fluid and electrolytes. *Clinical Nutrition*. 37(6 Pt B):2344-2353
- Johnson, DE (2016). Extremely preterm infant skin care. *Advances in Neonatal Care*, 16(5), 26-32.
- Johnston C, Campbell-Yeo M, Disher T, Benoit B, Fernandes A, Streiner D, Inglis D, Zee R (2017) Skin-to-skin care for procedural pain in neonates. *Cochrane Database Syst*. 2(2):CD008435.
- Joseph, R., Derstine, S., & Killian, M. (2017). Ideal site for skin temperature probe placement in Infants in the NICU: A review of the literature. *Advances in Neonatal Care*, 17(2), 114-122.
- Karlsson V, Heinemann AB, Sjors G, Nykvist KH, Agren J (2012) Early skin-to-skin care in extremely preterm infants: thermal balance and care environment. *Journal of Pediatrics*; 161:422–6.
- Kempley S.T., Moreiras J.W., Petrone F.L. (2008) Endotracheal tube length for neonatal intubation. *Resuscitation*. 77:369–373.
- Lavallée, J. F., Gray, T. A., Dumville, J., Russell, W., & Cullum, N. (2017). The effects of care bundles on patient outcomes: A systematic review and meta-analysis. *Implementation Science*, 12(1), 142.
- Lawson-Wood H, Hucker J (2022) Nasogastric tube insertion 1: children and young people. *Nursing Times [online]*; 118: 8.

- Lee J, Parikka V, Lehtonen L, Soukka H (2022) Parent-infant skin-to-skin contact reduces the electrical activity of the diaphragm and stabilizes respiratory function in preterm infants. *Pediatric Research*. 91(5):1163-116.
- Linakis, M.W., Roberts, J.K., Lala, A.C. *et al.* (2016) Challenges Associated with Route of Administration in Neonatal Drug Delivery. *Clin Pharmacokinet*. 55, 185–196.
- Liu HK, Yang YN, Tey SL, Wu PL, Yang SN, Wu CY. (2022) Weight Is More Accurate than Gestational Age When Estimating the Optimal Endotracheal Tube Depth in Neonates. *Children (Basel)*. 8(5):324
- Liu J, Wu S, and Zhu X (2022) Advances in the Prevention and Treatment of Neonatal Hypothermia in Early Birth *Therapeutic Hypothermia and Temperature Management*. 12(2): 51-56.
- Madabhushi, S. R., & Ahmed, S. A. (2022). 1293 Timely TPN – A comparative study reviewing the administration of TPN for preterm infants following implementation of NICE guidelines. *British Association of Perinatal Medicine and Neonatal Society*, A192–A193. <https://doi.org/10.1136/archdischild-2022-rcpch.307>
- McCall EM, Alderdice F, Vohara S, et al (2018) Interventions to prevent hypothermia at birth in preterm and/or low birthweight infants. *Cochrane Database of Systematic Reviews*, Issue 2. Art No.: CD004210. doi: 10.1002/4651858.CD004210.pub5.
- Mitra S, Rennie J (2017) Neonatal jaundice: aetiology, diagnosis and treatment. *British Journal of Hospital Medicine* (London). 78(12):699-704.
- Morton SU, Brodsky D. Fetal (2016) Physiology and the Transition to Extrauterine Life. *Clinical Perinatology*. (3):395-407.
- Moss CR (2022) Fluid and Electrolyte Management in the Neonate: Sodium and Chloride. *Neonatal Network*. 41(3):137-144.
- National Patient Safety Agency (2005) Reducing the harm caused by mis- placed naso and orogastric feeding tubes in babies under the care of neonatal units. London: National Patient Safety Agency.
- National Patient Safety Agency (NPSA). (2011). Patient Safety Alert NPSA/2011/PSA002. Reducing the harm caused by misplaced nasogastric feeding tubes in adults, children and infants (London).
- Nasuf AWA, Ojha S, Dorling J. (2018) Oropharyngeal colostrum in preventing mortality and morbidity in preterm infants. *Cochrane Database of Systematic Reviews* 2018, Issue 9. Art. No.: CD011921.
- National Institute for Health and Care Excellence (NICE) (2006) MCN Consultancy: Expert report- Handling and storage of expressed

breast milk. *NICE*

National Institute for Health and Care Excellence (NICE) (2010) *Neonatal jaundice. NICE clinical guideline 98.* www.nice.org.uk/guidance/CG98

National Institute for Health and Care Excellence (NICE) (2018, updated 2024) *Pressure Ulcers: prevention and management NICE Clinical Guideline (NG179).*

<https://www.nice.org.uk/guidance/cg179>

National Institute for Clinical Excellence (NICE) (2019) *Specialist Neonatal Respiratory Care for Babies Born Preterm. NICE Guideline [NG124].*

<https://www.nice.org.uk/guidance/ng124>

National Institute for Clinical Excellence (NICE) (2020) *Neonatal Parenteral Nutrition.*

<https://www.nice.org.uk/guidance/ng154>

National Institute for Health and Care Excellence (NICE) (2021) *Postnatal Care NICE Clinical Guideline (NG194).*

<https://www.nice.org.uk/guidance/ng194/chapter/Recommendations#postnatal-care-of-the-baby>

National Institute for Health and Care Excellence (NICE) (2021) Neonatal infection: antibiotics for prevention and treatment.

<https://www.nice.org.uk/guidance/ng195>

National Institute for Health and Care Excellence (NICE) (2024) *Style Guide.*

<https://www.nice.org.uk/corporate/ecd1/chapter/using-this-guide>

New HV, Berryman J, Bolton-Maggs PHB, Cantwell C, Chalmers EA, Davies T, Gottstein R, Kelleher A, Kumar S, Morley SL, Stanworth SJ. (2016) on behalf of the British Committee for Standards in Haematology Guidelines on transfusion for fetuses, neonates and older children, British Society of Haematology, UK

O'Brien F, and Walker IA (2014) Fluid homeostasis in the neonate. *Pediatric Anesthesia.* 24(1): 49-59.

Oranges T, Dini V, Romanelli M. (2015) Skin Physiology of the Neonate and Infant: Clinical Implications. *Adv Wound Care (New Rochelle).* 4(10):587-595.

Ozer, EA (2020) Lung-protective Ventilation in Neonatal Intensive Care Unit. *Journal of Clinical Neonatology* 9(1): 1-7.

Pantoja-Gómez O, Realpe S, Cabra-Bautista G. et al (2022) Clinical course of neonatal acute kidney injury: multi-center prospective cohort study. *BMC Pediatr* 22, 136.

Payne, V Mike Hall, Jacqui Prieto, & Mark Johnson. (2018). Care bundles to reduce central line-associated bloodstream infections in the neonatal unit: A systematic review and meta-analysis. *Archives of Disease in Childhood - Fetal and Neonatal Edition.* 103(5), F422.

- Peleg B, Globus O, Granot M, et al. (2019) "Golden Hour" quality improvement intervention and short-term outcome among preterm infants. *Journal of Perinatology*.;39(3):387-392.
- Perry M, Tan Z, Chen J, Weidig T, Xu W, Cong XS. (2018) Neonatal Pain: Perceptions and Current Practice. *Crit Care Nurs Clin North Am.* 30(4):549-561.
- Pet GC, Eickhoff JC, McNevin KE, Do J, and McAdams RM (2020) Risk factors for peripherally inserted central catheter complications in neonates. *Journal of Perinatology.* 40(4): 581–588.
- Petty J (2013) Understanding Neonatal Ventilation: Strategies for Decision Making in the NICU. *Neonatal Network*, 32(4): 246– 61. [Understanding Neonatal Ventilation: Strategies for Decision Making in the NICU \(academyofneonatalnursing.org\)](https://www.academyofneonatalnursing.org/understanding-neonatal-ventilation-strategies-for-decision-making-in-the-nicu)
- Ramaswamy VV, Dawson J. A. de Almeida MF, Trevisanuto D, Nakwa FL, Kamlin COF, ... & Liley HG (2023) Maintaining normothermia immediately after birth in preterm infants < 34 weeks' gestation: A systematic review and meta-analysis. *Resuscitation*, 109934.
- Ratnayake K, Kim TY (2014) Evidence-based management of neonatal vomiting in the emergency department. *Pediatr Emerg Med Pract.* 11(11):1-20
- Rhodes J, (2012) Best Practices for warming human milk in a hospital setting. *The Journal of Perinatology-Neonatology.* A Neonatal Intensive Care Supplement.
- Rizk N, D'Angio C, Kent AL (2022) *Humidification Practices of Extremely Preterm Neonates: A Clinical Survey.* *Healthcare (Basel).* 10(8):1437.
- Rosengarten, L. (2023). Administration of intravenous fluids and medicines in children and young people. *Nursing Children and Young People*, 35(5).
<https://doi.org/10.7748/ncyp.2023.e1481>
- Royal College of Nursing (2017) *Essential Practice for Infection Prevention and Control Guidance for nursing staff.* RCN, London.
- Royal College of Nursing (2023) *Record keeping: the facts.*
<https://www.rcn.org.uk/Professional-Development/publications/rcn-record-keeping-uk-pub-011-016>
- Royle J et al (2019) Guidelines for the Preparation and Handling of Expressed and Donor Breast Milk and Specialist Feeds for Infants and Children in Neonatal and Paediatric Health Care Settings, BDA UK. See British Dietetics Association (2019) reference and link.
- Salas AA, Travers CP (2023) The Practice of Enteral Nutrition: Clinical Evidence for Feeding Protocols. *Clin Perinatol.* 50(3):607-623.

- Sangsari, R., Saeedi, M., Maddah, M. et al. (2022) Weaning and extubation from neonatal mechanical ventilation: an evidenced-based review. *BMC Pulm Med* 22, 421.
- Sharma, D (2017) Golden hour of neonatal life: Need of the hour. *Maternal Health, Neonatol and Perinatol* 3, 16
- Simonsen KA, Anderson-Berry AL, Delair SF, Davies HD (2014) Early-onset neonatal sepsis. *Clin Microbiol Rev.* 27(1):21-47.
- Siva N, Nayak B S, Lewis L.E.S, Velayudhan B., Phagdol T, Sathish, Y. Noronha J.A, (2023) Involvement of mothers in high-risk neonatal care: A capacity building program for neonatal nurses. *Journal of Neonatal Nursing*, 29(1):91-96.
- Smith J (2016) Current practices on prevention of hypothermia and temperature taking in the preterm and term infant: A survey. *Journal of Neonatal Nursing.* 22(5), 206-212,
- Sweet, D G, Carnielli, V P, Greisen, G et al (2023) European Consensus Guidelines on the Management of Respiratory Distress Syndrome: 2022 Update. *Neonatology.* 120(1): 3– 23.
- Tume LN, Valla FV, Joosten K, Jotterand Chaparro C, Latten L, Marino LV, Macleod I, Moullet C, Pathan N, Rooze S, van Rosmalen J, Verbruggen SCAT (2020) Nutritional support for children during critical illness: European Society of Pediatric and Neonatal Intensive Care (ESPNIC) metabolism, endocrine and nutrition section position statement and clinical recommendations. *Intensive Care Med.* 46(3):411-425
- Turnbull V, Petty J (2013) Evidence-based thermal care of low birthweight neonates. Part one. *Nursing Children and Young People.* 25(2):18-22.
- Ullah S, Rahman K, Hedayati M (2016). Hyperbilirubinemia in Neonates: Types, Causes, Clinical Examinations, Preventive Measures and Treatments: A Narrative Review Article. *Iran J Public Health.* 45(5):558-68.
- UNICEF. (2016). *The Baby-Friendly Hospital Initiative.*
<http://www.unicef.org/programme/breastfeeding/baby.htm>
- Wang Z.Z.X, Chen W., Pei, S, Wang O, Guan H, Zhu, G (2023) The efficacy of Kangaroo-Mother care to the clinical outcomes of LBW and premature infants in the first 28 days: A meta-analysis of randomized clinical trials, *Frontiers in Pediatrics.* 10.3389/fped.1067183, 11.
- Wood T, Johnson M, Temples T, Bordelon C (2022). Thermoneutral Environment for Neonates: Back to the Basics. *Neonatal Network.* 41(5):289-296.

World Health Organization (2011) *Guidelines on optimal feeding of low-birth-weight infants in low- and middle-income countries.*

<https://www.who.int/publications/i/item/9789241548366>

World Health Organization (2009) WHO guidelines on hand hygiene in health care.

<https://www.who.int/publications/i/item/9789241597906>

Yang WC, Fogel A, Lauria ME, Ferguson K, Smith ER. (2022) Fast Feed Advancement for Preterm and Low Birth Weight Infants: A Systematic Review and Meta-analysis. *Pediatrics*.150(Suppl 1):e2022057092G.